# Journal of Testing and Evaluation
# Author Index to Volume 19
# 1991

| Number | Month of Issue | Pages |
|---|---|---|
| 1 | January | 1–92 |
| 2 | March | 93–180 |
| 3 | May | 181–262 |
| 4 | July | 263–348 |
| 5 | September | 349–420 |
| 6 | November | 421–514 |


A

**Al-Qadi, I. L. and Rivera-Ortiz, L. A.:** Laboratory testing of river gravel used in arrester beds, July, 280

**Albrecht, P.**
**and Lee, H.:** Evaluating of rating numbers for atmospheric corrosion resistance of weathering steel, Nov., 429
*see* Hu, J. M. and Albrecht, P.

**Anderson, T. L. and Dodds, R. H., Jr.:** Specimen size requirements for fracture toughness testing in the transition region, March, 123

**Atkinson, M.:** Analysis of the size effect in low-load hardness testing of metals, Sept., 368

B

Bailey, J. L.: *see* Bohringer, D. E., Kupperman, D. S., Bailey, J. L., and Knox, A. E.

Ballinger, R. G.,: *see* Tobler, R. L., Reed, R. P., Hwang, I. S., Morra, M. M., Ballinger, R. G., Nakajima, H., and Shimamoto, S.

Bamford, R.: *see* Hsieh, C., Hendrickson, J., and Bamford, R.

Begley, E. F.: *see* Munro, R. G. and Begley, E. F.

**Blau, P. J.:** Review of *Detection, Diagnosis, and Prognosis of Rotating Machinery to Improve Reliability, Maintainability, and Readiness Through the Application of New and Innovative Techniques* (Cambridge University Press), July, 345

Blotny, R.: *see* Kaleta, J., Blotny, R., and Harig, H.

Bogan, L.: *see* Latta, B. M., Bogan, L., and Wagner, G. S.

**Bohringer, D. E., Kupperman, D. S., Bailey, J. L., and Knox, A. E.:** *In situ* ultrasonic examination of the intense pulsed neutron source (IPNS) enriched uranium target assembly, Nov., 467

**Bottone, N. L.:** Introduction to symposium on the use of reference materials in the metals analysis laboratory, Jan., 55

**Brown, E. R.**
**and Foo, K. Y.:** Evaluation of variability in resilient modulus test results (ASTM D 4123), Jan., 1
*see* Parker, F. P., Jr. and Brown, E. R.

Burgess, G.: *see* Singh, S. P., Crofts, B., and Burgess, G.

**Burnell, G.:** Review of *Inherently Conducting Polymers* (Aldissi), Nov., 499

C

Chiang, Y. J.: *see* Lee, Y.-L. and Chiang, Y. J.

Chouthai, S. S.: *see* Kain, V., Chouthai, S. S., and Gadiyar, H. S.

Chuang, S. Y.: *see* Powers, B. L. and Chuang, S. Y.

**Chusid, M.:** Review of *Time-Saver Standards for Building Types: 3rd Edition* (De Chiara and Callender), July, 347

Constantine, A. G.: *see* Sare, I. R. and Constantine, A. G.

Conway, J. C., Jr.:
*see* Jadaan, O. M., Shelleman, D. L., Conway, J. C., Jr., Mecholsky, J. J., Jr., and Tressler, R. E.
*see* Shelleman, D. L., Jadaan, O. M., Conway, J. C., Jr., and Mecholsky, J. J., Jr.

Crofts, B.: *see* Singh, S. P., Crofts, B., and Burgess, G.

**Crosley, P. B. and Ripling, E. J.:** Thick adherend, instrumented double-cantilever-beam specimen for measuring debonding of adhesive joints, Jan., 24

D

**Deppa, S. W.:** Procedure to evaluate openings in children's products for head entrapment hazards, July, 263

Dodds, R. H., Jr.: *see* Anderson, T. L. and Dodds, R. H., Jr.

**Doebelin, E. O.:** Review of *Theory and Practice of Force Measurement* (Bray, Barbato, and Levi), Sept., 417

**Donaldson, B.:** Review of *Concise Encyclopedia of Building and Construction Materials* (Moavenzadeh), March, 178

E

Earthman, J. C.: *see* Kim, H.-K., Mohamed, F. A., and Earthman, J. C.

Eddleman, V. L.: *see* Moore, M. A. and Eddleman, V. L.

F

**Fett, T.**
**and Munz, D.:** Methods of determining subcritical crack growth by static lifetime tests with natural and artificial cracks, Nov., 461

**Keller, K., Martin, G., and Rosenfelder, O.:** Direct measurements of displacements in the inner roller span of four-point-bending creep tests, July, 334

Foo, K. Y.: *see* Brown, E. R. and Foo, K. Y.

Fwa, T.-F.:
*see* Low, B.-H., Tan, S.-A., and Fwa, T.-F.
*see* Tan, S.-A. and Fwa, T.-F.

G

**Gabb, T. P.:** Review of *High Temperature Fatigue: Properties and Prediction* (Skelton), July, 345

Gadiyar, H. S.: *see* Kain, V., Chouthai, S. S., and Gadiyar, H. S.

**Gerofi, J. P. and Shelley, G. A.:** Condom inflation testing: strain distribution during test, May, 244

**Gong, Z. L. and Hsu, T. R.:** Deformation of aluminum alloy under cyclic creep loadings, Jan., 14

**Goodwin, F. E. and Nguyen-Duy, P.:** New method for burst testing of low strength materials, Jan., 41

**Gradin, P. A., Gustafson, C. G., and Hojo, M.:** Influence of friction on the compliance and crack work rate of an end notched flexure specimen, March, 149

Gustafson, C. G.: *see* Gradin, P. A., Gustafson, C. G., and Hojo, M.

H

Hall, M.: *see* Wolfe, R. W., Hall, M. and Lyles, D.

Harig, H.: *see* Kaleta, J., Blotny, R., and Harig, H.

Hartwig, K. T.: *see* McDonald, L. C. and Hartwig, K. T.

Hellmann, J. R.: *see* Segall, A. E., Hellmann, J. R., and Modest, M. F.

Hendrickson, J.: *see* Hsieh, C., Hendrickson, J., and Bamford, R.

Herrera, R.: *see* Landes, J. D., Zhou, Z., Lee, K., and Herrera, R.

Hojo, M.: *see* Gradin, P. A., Gustafson, C. G., and Hojo, M.

Holt, S. D.: *see* Miller, G. A., Marder, A. R., Holt, S. D., and Voorhees, H. R.

**Hossain, M. K. and Lytton, R. L.:** Analysis of large diameter high-density polyethylene plastic pipes as vertical shafts in landfills, Nov., 475

**Hsieh, C. Hendrickson, J., and Bamford, R.:** Development of methodology for qualifying safety critical A286 threaded fasteners, March, 135

Hsu, T. R.: *see* Gong, Z. L. and Hsu, T. R.

**Hu, J. M. and Albrecht, P.:** Plastic $\eta$ and $\gamma$ factors for compact tension specimen in $J$-integral estimation, March, 169

**Hurwitz, J. K.:** Computer-aided homogeneity testing of proposed metal and metal alloy reference materials, Jan., 63

Hwang, R. P.: *see* Tobler, R. L., Reed, R. P., Hwang, I. S., Morra, M. M., Ballinger, R. G., Nakajima, H., and Shimamoto, S.

I

Itokuzu, M.: *see* Makabe, C., Kaneshiro, H., and Itakazu, M.

J

**Jacobs, T. L.:** Review of *Experimentation and Uncertainty Analysis for Engineers* (Coleman and Steele), Nov., 498

**Jadaan, O. M.**
**Shelleman, D. L., Conway, J. C., Jr., Mecholsky, J. J., Jr., and Tressler, R. E.:** Prediction of the strength of ceramic tubular components: Part I—analysis, May, 181
*see* Shelleman, D. L., Jadaan, O. M., Conway, J. C., Jr., and Mecholsky, J. J., Jr.

**Jendoubi, K., Ranganathan, N., and Merah, N.:** Effect of thickness on elasto-plastic deformation and hysteretic energy dissipated at crack tip, May, 201

K

**Kain, V., Chouthai, S. S., and Gadiyar, H. S.:** Electrical resistance measurements on type 304 stainless steel with different degrees of sensitization, July, 321

**Kaleta, J., Blotny, R., and Harig, H.:** Energy stored in a specimen under fatigue limit loading conditions, July, 326

Kaneshiro, H.: *see* Makabe, C., Kaneshiro, H., and Itokazu, M.

**Kapp, J. A.:** Improved wide range expressions for displacements and inverse displacements for standard fracture toughness specimens, Jan., 45

Keller, K.: *see* Fett, T., Keller, K., Martin, G., and Rosenfelder, O.

**Kennedy, W. R.:** Certification: what it means for inhomogeneity and reference materials, Jan., 60

**Kim, H.-K., Mohamed, F. A., and Earthman, J. C.:** Novel specimen geometry for double shear creep experiments, March, 93

Knox, A. E.: *see* Bohringer, D. E., Kupperman, D. S., Bailey, J. L., and Knox, A. E.

**Kowalewski, M. J., Jr.:** Review of *Defect Prevention: Use of Simple Statistical Tools* (Kane), Jan., 89

Kupperman, D. S.: *see* Bohringer, D. E., Kupperman, D. S., Bailey, J. L., and Knox, A. E.

L

**Landes, J. D., Zhou, Z., Lee, K., and Herrera, R.:** Normalization method for developing *J-R* curves with the *LMN* function, July, 305

**Latta, B. M., Bogan, L., and Wagner, G. S.:** Nonintrusive test for argon gas content in windows: feasibility study, May, 214

Lee, H.: *see* Albrecht, P. and Lee, H.

Lee, K.: *see* Landes, J. D., Zhou, Z., Lee, K., and Herrera, R.

**Lee, Y.-L. and Chiang, Y. J.:** Fatigue predictions for components under biaxial reversed loading, Sept., 359

**Link, R. E.:** Review of *An Introduction to the Design and Behavior of Bolted Joints* (Bickford), Sept., 417

**Loferski, J. R.**
**and McLain, T. E.:** Static and impact flexural properties of common wire nails, July, 297
**and Stern, E. G.:** Understanding impact testing of pallet nails and staples, Sept., 379

**Low, B.-H., Tan, S.-A., and Fwa, T.-F.:** Determination of thermal diffusivity of construction materials, Nov., 440

Lyles, D.: *see* Wolfe, R. W., Hall, M. and Lyles, D.

**Lyon, R. E.:** Shear strength of a ductile material from torsion of solid cylinders, May, 240

Lytton, R. L.: *see* Hossain, M. K. and Lytton, R. L.

M

Madan, R. K.: *see* Nagourney, S. J. and Madan, R. K.

**Makabe, C., Kaneshiro, H., and Itokazu, M.:** Effects of microcracks and artificial surface cracks on fracture ductility of a torsional prestrained specimen, May, 221

**Mandel, J.:** Models and interactions, Sept., 398

Marder, A. R.: *see* Miller, G. A., Marder, A. R., Holt, S. D., and Voorhees, H. R.

Martin, G.: *see* Fett, T., Keller, K., Martin, G., and Rosenfelder, O.

**Martins, C. S., Steen, M., and Rosa, L. G.:** Theoretical comparison of error in $K_{Ic}$ values determined by different testing methods of ceramics, May, 256

**McDonald, L. C. and Hartwig, K. T.:** Cryogenic creep testing, March, 107

**McKee, C. W.:** Review of *International Advances in Nondestructive Testing, Volume 15* (McGonnagle), Sept., 418

McLain, T. E.: *see* Loferski, J. R. and McLain, T. E.

Mecholsky, J. J., Jr.:
*see* Jadaan, O. M., Shelleman, D. L., Conway, J. C., Jr., Mecholsky, J. J., Jr., and Tressler, R. E.
*see* Shelleman, D. L., Jadaan, O. M., Conway, J. C., Jr., and Mecholsky, J. J., Jr.

Meeres, R. P.: *see* Ridsdale, P. D. and Meeres, R. P.

Merah, N.: *see* Jendoubi, K., Ranganathan, N., and Merah, N.

**Meraw, L. J.:** Glossary (German/English, English/German) of specialized plastics testing terminology, July, 338

**Merks, J. W.:** Review of *Powder Testing Guide: Methods of Measuring the Physical Properties of Bulk Powders* (Svarovsky), Sept., 418

**Miller, G. A., Marder, A. R., Holt, S. D., and Voorhees, H. R.:** Creep-fatigue interaction in T11 boiler tube steel, Nov., 485

Modest, M. F.: *see* Segall, A. E., Hellmann, J. R., and Modest, M. F.

Mohamed, F. A.: *see* Kim, H.-K., Mohamed, F. A., and Earthman, J. C.

**Moore, M. A. and Eddleman, V. L.:** Assessment of the effects of treatment, time, and heat on the removal of erasable pen marks from cotton and cotton/polyester blend fabrics, Sept., 394

Morra, I. S.,: *see* Tobler, R. L., Reed, R. P., Hwang, I. S., Morra, M. M., Ballinger, R. G., Nakajima, H., and Shimamoto, S.

**Munro, R. G. and Begley, E. F.:** Structural ceramics database: data acquisition format for monolithic ceramics, May, 250

Munz, D.: *see* Fett, T. and Munz, D.

N

**Nagourney, S. J. and Madan, R. K.:** Metals analysis in the plastics additives industry: quality assurance considerations, Jan., 77

Nakajima, H.: *see* Tobler, R. L., Reed, R. P., Hwang, I. S., Morra, M. M., Ballinger, R. G., Nakajima, H., and Shimamoto, S.

Nguyen-Duy, P.: *see* Goodwin, F. E. and Nguyen-Duy, P.

O

**O'Hern, M. E.:** Discussion of "Dynamic loading: a new microhardness test method," Sept., 413

**Oyedokun, Z. O.:** Pulse current automatic electro-optical characterization of the laser diode, March, 172

P

**Parida, N.:** Reliability and life estimation from component fatigue failures below the go-no-go fatigue life limit, Nov., 450

**Parker, F. P., Jr. and Brown, E. R.:** Comparison of methods for measuring moisture content of aggregate and asphalt-aggregate paving mixtures, March, 161

**Pellicane, P. J.**
Application of the European yield model to nailed joints in southern hardwoods, Sept., 385
Mechanical behavior of nailed joints with various side member materials, March, 97

**Powers, B. L. and Chuang, S. Y.:** Vibration monitoring of small lightweight components using fiber optic sensors, Nov., 493

Q

**Quinn, G. D.:** Review of *Ceramic Hardness* (McColm), Nov., 497

R

**Ramsamooj, D. V.:** Prediction of fatigue life of asphalt concrete beams from fracture tests, May, 231

Ranganathan, N.: *see* Jendoubi, K., Ranganathan, N., and Merah, N.

**Rasberry, S. D.:** Standard reference materials: NBS-ASTM cooperation, Jan., 56

Rawlings, R. D.: *see* Selcuk, A. and Rawlings, R. D.

Reed, R. P.: *see* Tobler, R. L., Reed, R. P., Hwang, I. S., Morra, M. M., Ballinger, R. G., Nakajima, H., and Shimamoto, S.

**Reemsnyder, H. S.:** Review of *Materials for Marine Systems and Structures* (Hasson and Crowe), May, 260
**Ridsdale, P. D. and Meeres, R. P.:** What constitutes a reference material and how is it certified?, Jan., 71
Ripling, E. J.: *see* Crosley, P. B. and Ripling, E. J.
Rivera-Ortiz, L. A.: *see* Al-Qadi, I. L. and Rivera-Ortiz, L. A.
Rosa, L. G.: *see* Martins, C. S., Steen, M., and Rosa, L. G.
Rosenfelder, O.: *see* Fett, T., Keller, K., Martin, G., and Rosenfelder, O.

S

**Sachse, W.:** Review of *Physical Acoustics: Vol. 18* (Mason and Thurston), July, 346
**Santoliquido, P. M.:** Preparation and certification of uranium oxide ($U_3O_8$) spectrometric reference materials, Jan., 83
**Sare, I. R.**
**and Constantine, A. G.:** Authors' closure to discussion of "Design and analysis of jaw crusher gouging abrasion tests," Sept., 410
**and Constantine, A. G.:** Design and analysis of jaw crusher gouging abrasion tests, March, 115
**Segall, A. E., Hellmann, J. R., and Modest, M. F.:** Analysis of gas-fired ceramic radiant tubes during transient heating: part I—thermal transient modeling, Nov., 454
**Selcuk, A. and Rawlings, R. D.:** Cantilever-type bend test technique for formability analysis of strip/plate metals, Sept., 349
**Shelleman, D. L.**
**Jadaan, O. M., Conway, J. C., Jr., and Mecholsky, J. J., Jr.:** Prediction of the strength of ceramic tubular components: Part II—experimental verification, May, 192
*see* Jadaan, O. M., Shelleman, D. L., Conway, J. C., Jr., Mecholsky, J. J., Jr., and Tressler, R. E.
Shelley, G. A.: *see* Geroft, J. P. and Shelley, G. A.
**Shi, D. and Winslow, D.:** Accuracy of a volume fraction measurement using areal image analysis, May, 210
Shimada, M.: *see* Tobler, R. L. and Shimada, M.
Shimamoto, S.: *see* Tobler, R. L., Reed, R. P., Hwang, I. S., Morra, M. M., Ballinger, R. G., Nakajima, H., and Shimamoto, S.
**Shuman, E. C.:** Review of *Engineering Project Management* (Blanchard), Nov., 497
**Singh, S. P., Crofts, B., and Burgess, G.:** Effect of handling on the compression strength of corrugated fiberboard containers, Sept., 374
**Sproles, E. S., Jr.:** Change in mass of copper coupons as a measure of severity of environments in accelerated aging tests for electrical contacts, July, 292
Steen, M.: *see* Martins, C. S., Steen, M., and Rosa, L. G.
Stern, E. G.: *see* Loferski, J. R. and Stern, E. G.
**Strauss, B. M.:** Review of *Science and Engineering Indicators—1989* (National Science Board), March, 178

T

**Tan, S.-A.**
**and Fwa, T.-F.:** Nondestructive density measurements of cylindrical specimens by gamma-ray attenuation, March, 155
*see* Low, B.-H., Tan, S.-A., and Fwa, T.-F.
**Tobler, R. L.**
**and Shimada, M.:** Warm precracking at 295 K and its effects on the 4-K toughness of austenitic steels, July, 312
**Reed, R. P., Hwang, I. S., Morra, M. M., Ballinger, R. G., Nakajima, H., and Shimamoto, S.:** Charpy impact tests near absolute zero, Jan., 34
Tressler, R. E.: *see* Jadaan, O. M., Shelleman, D. L., Conway, J. C., Jr., Mecholsky, J. J., Jr., and Tressler, R. E.

V

Voorhees, H. R.: *see* Miller, G. A., Marder, A. R., Holt, S. D., and Voorhees, H. R.

W

Wagner, G. S.: *see* Latta, B. M., Bogan, L., and Wagner, G. S.
Walter, R. J.: *see* Yuen, J. L. and Water, R. J.
**Weller, W.:** Authors' closure to discussion of "Dynamic loading: a new microhardness test method," Sept., 415
**Westbrook, J. H.:** Review of *Mechanical Testing* (Curbishley), May, 261
**Winslow, D.**
Predicting the durability of paving bricks, Jan., 29
*see* Shi, D. and Winslow, D.
**Wolfe, R. W., Hall, M. and Lyles, D.:** Test apparatus for simulating interactive loads on metal plate wood connections, Nov., 421
**Wood, F. W.:** Discussion of "Design and analysis of jaw crusher gouging abrasion tests," Sept., 408

Y

**Yuen, J. L. and Walter, R. J.:** Thermal shock and thermal fatigue testing, Sept., 403

Z

Zhou, Z.: *see* Landes, J. D., Zhou, Z., Lee, K., and Herrera, R.

# Journal of Testing and Evaluation
# Subject Index to Volume 19
# 1991


A

**A286 stainless steel**
Development of methodology for qualifying safety critical A286 threaded fasteners (Hsieh, Hendrickson, and Bamford), March, 135

**Abrasion resistance**
Design and analysis of jaw crusher gouging abrasion tests (Sare and Constantine), March, 115

**Accident prevention**
Procedure to evaluate openings in children's products for head entrapment hazards (Deppa), July, 263

**Adhesive joints**
Thick adherend, instrumented double-cantilever-beam specimen for measuring debonding of adhesive joints (Crosley and Ripling), Jan., 24

**Adiabatic heat**
Charpy impact tests near absolute zero (Tobler, Reed, Hwang, Morra, Ballinger, Nakajima, and Shimamoto), Jan., 34

**Aluminum**
Cryogenic creep testing (McDonald and Hartwig), March, 107

**Aluminum alloys**
Deformation of aluminum alloy under cyclic creep loadings (Gong and Hsu), Jan., 14

**Aluminum oxide**
Methods of determining subcritical crack growth by static lifetime tests with natural and artificial cracks (Fett and Munz), Nov., 461

**Analysis of variance**
Models and interactions (Mandel), Sept., 398

**Anthropometry**
Procedure to evaluate openings in children's products for head entrapment hazards (Deppa), July, 263

**Areal analysis**
Accuracy of a volume fraction measurement using areal image analysis (Shi and Winslow), May, 210

**Argon**
Nonintrusive test for argon gas content in windows: feasibility study (Latta, Bogan, and Wagner), May, 214

**Arrester beds**
Laboratory testing of river gravel used in arrester beds (Al-Qadi and Rivera-Ortiz), July, 280

**Asphalt**
Determination of thermal diffusivity of construction materials (Low, Tan, and Fwa), Nov., 440

**Asphalt-aggregate paving mixtures**
Comparison of methods for measuring moisture content of aggregate and asphalt-aggregate paving mixtures (Parker and Brown), March, 161

**Asphalt concrete**
Prediction of fatigue life of asphalt concrete beams from fracture tests (Ramsamooj), May, 231

**Asphalt mixes**
Evaluation of variability in resilient modulus test results (ASTM D 4123), (Brown and Foo), Jan., 1

**ASTM Practice G 81-83**
Design and analysis of jaw crusher gouging abrasion tests (Sare and Constantine), March, 115

**ASTM Test D 4123**
Evaluation of variability in resilient modulus test results (ASTM D 4123), (Brown and Foo), Jan., 1

**Atomic spectroscopy**
Metals analysis in the plastics additives industry: quality assurance considerations (Nagourney and Madan), Jan., 77

**Austenitic alloys**
Charpy impact tests near absolute zero (Tobler, Reed, Hwang, Morra, Ballinger, Nakajima, and Shimamoto), Jan., 34

**Austenitic stainless steel**
Electrical resistance measurements on type 304 stainless steel with different degrees of sensitization (Kain, Chouthai, and Gadiyar), July, 321
Warm precracking at 295 K and its effects on the 4-K toughness of austenitic steels (Tobler and Shimada), July, 312

**Automatic measurement**
Pulse current automatic electro-optical characterization of the laser diode (Oyedokun), March, 172

B

**Boiler tube steel**
Creep-fatigue interaction in T11 boiler tube steel (Miller, Marder, Holt, and Voorhees), Nov., 485

**Book reviews**
*Concise Encyclopedia of Building and Construction Materials* by Moavenzadeh (Donaldson), March, 178
*Ceramic Hardness* by McColm (Quinn), Nov., 497
*Defect Prevention: Use of Simple Statistical Tools* by Kane (Kowalewski), Jan., 89
*Detection, Diagnosis, and Prognosis of Rotating Machinery to Improve Reliability, Maintainability, and Readiness Through the Application of New and Innovative Techniques* by Cambridge University Press (Blau), July, 345
*Engineering Project Management* by Blanchard (Shuman), Nov., 497
*Experimentation and Uncertainty Analysis for Engineers* by Coleman and Steele (Jacobs), Nov., 498
*High Temperature Fatigue: Properties and Prediction* by Skelton (Gabb), July, 345
*Inherently Conducting Polymers* by Aldissi (Burnell), Nov., 499
*International Advances in Nondestructive Testing, Volume 15* by McGonnagle (McKee), Sept., 418
*An Introduction to the Design and Behavior of Bolted Joints* by Bickford (Link), Sept., 417
*Materials for Marine Systems and Structures* by Hasson and Crowe (Reemsnyder), May, 260
*Mechanical Testing* by Curbishley (Westbrook), May, 261
*Physical Acoustics: Vol. 18* by Mason and Thurston (Sachse), July, 346
*Powder Testing Guide: Methods of Measuring the Physical Properties of Bulk Powders* by Svarovsky (Merks), Sept., 418
*Science and Engineering* by National Science Board (Strauss), March, 178
*Theory and Practice of Force Measurement* by Bray, Barbato, and Levi (Doebelin), Sept., 417
*Time-Saver Standards for Building Types: 3rd Edition* by De Chiara and Callender (Chusid), July, 347

**Bricks**
Determination of thermal diffusivity of construction materials (Low, Tan, and Fwa), Nov., 440
Predicting the durability of paving bricks (Winslow), Jan., 29

**Burst testing**
New method for burst testing of low strength materials (Goodwin and Nguyen-Duy), Jan., 41

C

**Calibration**
Change in mass of copper coupons as a measure of severity of environments in accelerated aging tests for electrical contacts (Sproles), July, 292

**Cantilever-type bend tests**
Cantilever-type bend test technique for formability analysis of strip/plate metals (Selcuk and Rawlings), Sept., 349

**Cement**
Determination of thermal diffusivity of construction materials (Low, Tan, and Fwa), Nov., 440

**Ceramics**
Analysis of gas-fired ceramic radiant tubes during transient heating: Part I—thermal transient modeling (Segall, Hellmann, and Modest), Nov., 454
Direct measurements of displacements in the inner roller span of four-point-bend-

ing creep tests (Fett, Keller, Martin, and Rosenfelder), July, 334
Methods of determining subcritical crack growth by static lifetime tests with natural and artificial cracks (Fett and Munz), Nov., 461
Prediction of the strength of ceramic tubular components: Part I—analysis (Jadaan, Shelleman, Conway, Mecholsky, and Tressler), May, 181
Prediction of the strength of ceramic tubular components: Part II—experimental verification (Shelleman, Jadaan, Conway, and Mecholsky), May, 192
Structural ceramics database: data acquisition format for monolithic ceramics (Munro and Begley), May, 250
Theoretical comparison of error in $K_{Ic}$ values determined by different testing methods of ceramics (Martins, Steen, and Rosa), May, 256

**Certification**
Certification: what it means for inhomogeneity and reference materials (Kennedy), Jan., 60
Computer-aided homogeneity testing of proposed metal and metal alloy reference materials (Hurwitz), Jan., 63
Preparation and certification of uranium oxide ($U_3O_8$) spectrometric reference materials (Santoliquido), Jan., 83
What constitutes a reference material and how is it certified?, (Ridsdale and Meeres) Jan., 71

**Certified Reference Material (CRM)**
Certification: what it means for inhomogeneity and reference materials (Kennedy), Jan., 60
What constitutes a reference material and how is it certified?, (Ridsdale and Meeres), Jan., 71

**Charpy impact tests**
Charpy impact tests near absolute zero (Tobler, Reed, Hwang, Morra, Ballinger, Nakajima, and Shimamoto), Jan., 34

**Children**
Procedure to evaluate openings in children's products for head entrapment hazards (Deppa), July, 263

**Cleavage**
Specimen size requirements for fracture toughness testing in the transition region (Anderson and Dodds), March 123

**Closure**
Authors' closure to discussion of "Design and analysis of jaw crusher gouging abrasion tests" (Sare and Constantine), Sept., 410
Author's closure to discussion of "Dynamic loading: a new microhardness test method" (Weiler), Sept., 415

**Combined loading**
Test apparatus for simulating interactive loads on metal plate wood connections (Wolfe, Hall, and Lyles), Nov., 421

**Compact tension**
Plastic $\eta$ and $\gamma$ factors for compact tension specimen in $J$-integral estimation (Hu and Albrecht), March, 169

**Compliance**
Influence of friction on the compliance and crack work rate of an end notched flexure specimen (Gradin, Gustafson, and Hojo), March, 149

**Compressive strength**
Effect of handling on the compression strength of corrugated fiberboard containers (Singh, Crofts, and Burgess), Sept., 374

**Computers**
Computer-aided homogeneity testing of proposed metal and metal alloy reference materials (Hurwitz), Jan., 63
Development of methodology for qualifying safety critical A286 threaded fasteners (Hsieh, Hendrickson, and Bamford), March, 135
Pulse current automatic electro-optical characterization of the laser diode (Oyedokun), March, 172
Structural ceramics database: data acquisition format for monolithic ceramics (Munro and Begley), May, 250

**Concrete**
Determination of thermal diffusivity of construction materials (Low, Tan, and Fwa), Nov., 440

**Condoms**
Condom inflation testing: strain distribution during test (Gerofi and Shelley), May, 244

**Consumer product safety**
Procedure to evaluate openings in children's products for head entrapment hazards (Deppa), July, 263

**Continuous wave tests**
Pulse current automatic electro-optical characterization of the laser diode (Oyedokun), March, 172

**Convection ovens**
Comparison of methods for measuring moisture content of aggregate and asphalt-aggregate paving mixtures (Parker and Brown), March, 161

**Copper coupons**
Change in mass of copper coupons as a measure of severity of environments in accelerated aging tests for electrical contacts (Sproles), July, 292

**Corrosion**
Change in mass of copper coupons as a measure of severity of environments in accelerated aging tests for electrical contacts (Sproles), July, 292

**Corrosion resistance**
Evaluation of rating numbers for atmospheric corrosion resistance of weathering steel (Albrecht and Lee), Nov., 429

**Corrugated containers**
Effect of handling on the compression strength of corrugated fiberboard containers (Singh, Crofts, and Burgess), Sept., 374

**Cotton**
Assessment of the effects of treatment, time, and heat on the removal of erasable pen marks from cotton and cotton/polyester blend fabrics (Moore and Eddleman), Sept., 394

**Cotton/polyester**
Assessment of the effects of treatment, time, and heat on the removal of erasable pen marks from cotton and cotton/polyester blend fabrics (Moore and Eddleman), Sept., 394

**Crack work release rate**
Influence of friction on the compliance and crack work rate of an end notched flexure specimen (Gradin, Gustafson, and Hojo), March, 149

**Creep**
Cryogenic creep testing, (McDonald and Hartwig), March, 107
Direct measurements of displacements in the inner roller span of four-point-bending creep tests (Fett, Keller, Martin, and Rosenfelder), July, 334

**Creep acceleration**
Deformation of aluminum alloy under cyclic creep loadings (Gong and Hsu), Jan., 14

**Creep deformation**
Novel specimen geometry for double shear creep experiments (Kim, Mohamed, and Earthman), March, 93

**Creep fatigue interaction**
Creep-fatigue interaction in T11 boiler tube steel (Miller, Marder, Holt, and Voorhees), Nov., 485

**Cryogenic material properties**
Warm precracking at 295 K and its effects on the 4-K toughness of austenitic steels (Tobler and Shimada), July, 312

**Cryogenic temperatures**
Charpy impact tests near absolute zero (Tobler, Reed, Hwang, Morra, Ballinger, Nakajima, and Shimamoto), Jan., 34
Cryogenic creep testing (McDonald and Hartwig), March, 107

**Cyclic creep tests**
Deformation of aluminum alloy under cyclic creep loadings (Gong and Hsu), Jan., 14

**Cylindrical specimens**
Nondestructive density measurements of cylindrical specimens by gamma-ray attenuation (Tan and Fwa), March, 155

**D**

**Debond resistance**
Thick adherend, instrumented double-cantilever-beam specimen for measuring debonding of adhesive joints (Crosley and Ripling), Jan., 24

**Definitions**
Certification: what it means for inhomogeneity and reference materials (Kennedy), Jan., 60
What constitutes a reference material and how is it certified? (Ridsdale and Meeres), Jan., 71

**Deformation**
Effect of thickness of elasto-plastic deformation and hysteretic energy dissipated at crack tip (Jendoubi, Ranganathan, and Merah), May, 201
Effects of microcracks and artificial surface cracks on fracture ductility of a torsional prestrained specimen (Makabe, Kaneshiro, and Itokazu), May, 221

**Delamination crack growth**
Influence of friction on the compliance and crack work rate of an end notched flexure specimen (Gradin, Gustafson, and Hojo), March, 149

**Density measurements**
Nondestructive density measurements of cylindrical specimens by gamma-ray attenuation (Tan and Fwa), March, 155

**Design specifications**
Static and impact flexural properties of common wire nails (Loferski and McLain), July, 297
**Discussions**
Discussion of "Design and analysis of jaw crusher gouging abrasion tests" (Wood), Sept., 408
Discussion of "Dynamic loading: a new microhardness test method" (O'Hern), Sept., 413
**Displacements**
Direct measurements of displacements in the inner roller span of four-point-bending creep tests (Fett, Keller, Martin, and Rosenfelder), July, 334
Improved wide range expressions for displacements and inverse displacements for standard fracture toughness specimens (Kapp), Jan., 45
**Distillation**
Comparison of methods for measuring moisture content of aggregate and asphalt-aggregate paving mixtures (Parker and Brown), March, 161
**Ductile-brittle transition**
Specimen size requirements for fracture toughness testing in the transition region (Anderson and Dodds), March 123
**Ductility**
Shear strength of a ductile material from torsion of solid cylinders (Lyon), May, 240
**Durability**
Predicting the durability of paving bricks (Winslow), Jan., 29
**Dwell time**
Deformation of aluminum alloy under cyclic creep loadings (Gong and Hsu), Jan., 14

E

**Electrical contacts**
Change in mass of copper coupons as a measure of severity of environments in accelerated aging tests for electrical contacts (Sproles), July, 292
**Electrical resistance**
Electrical resistance measurements on type 304 stainless steel with different degrees of sensitization (Kain, Chouthai, and Gadiyar), July, 321
**Electron beam radiation**
Thermal shock and thermal fatigue testing (Yuen and Walter), Sept., 403
**End notched flexure specimens**
Influence of friction on the compliance and crack work rate of an end notched flexure specimen (Gradin, Gustafson, and Hojo), March, 149
**Engineering properties**
Laboratory testing of river gravel used in arrester beds (Al-Qadi and Rivera-Ortiz), July, 280
**Epoxies**
Shear strength of a ductile material from torsion of solid cylinders (Lyon), May, 240
**Error analysis**
Theoretical comparison of error in $K_{Ic}$ values determined by different testing methods of ceramics (Martins, Steen, and Rosa), May, 256
**European Yield Model**
Application of the European Yield Model to nailed joints in southern hardwoods (Pellicane), Sept., 385

F

**Failure probability**
Prediction of the strength of ceramic tubular components: Part I—analysis (Jadaan, Shelleman, Conway, Mecholsky, and Tressler), May, 181
Prediction of the strength of ceramic tubular components: Part II—experimental verification (Shelleman, Jadaan, Conway, and Mecholsky), May, 192
**Failure statistics**
Prediction of the strength of ceramic tubular components: Part II—experimental verification (Shelleman, Jadaan, Conway, and Mecholsky), May, 192
**Fastener quality**
Understanding impact testing of pallet nails and staples (Loferski and Stern), Sept., 379
**Fatigue**
Effect of thickness of elasto-plastic deformation and hysteretic energy dissipated at crack tip (Jendoubi, Ranganathan, and Merah), May, 201
Energy stored in a specimen under fatigue limit loading conditions (Kaleta, Blotny, and Harig), July, 326
Prediction of fatigue life of asphalt concrete beams from fracture tests (Ramsamooj), May, 231
Warm precracking at 295 K and its effects on the 4-K toughness of austenitic steels (Tobler and Shimada), July, 312
**Fatigue life**
Development of methodology for qualifying safety critical A286 threaded fasteners (Hsieh, Hendrickson, and Bamford), March, 135
Reliability and life estimation from component fatigue failures below the go-no-go fatigue life limit (Parida), Nov., 450
**Fatigue predictions**
Fatigue predictions for components under biaxial reversed loading (Lee and Chiang), Sept., 359
**Fiber optic sensors**
Vibration monitoring of small lightweight components using fiber optic sensors (Powers and Chuang), Nov., 493
**Formability analysis**
Cantilever-type bend test technique for formability analysis of strip/plate metals (Selcuk and Rawlings), Sept., 349
**Four-point bending tests**
Direct measurements of displacements in the inner roller span of four-point-bending creep tests (Fett, Keller, Martin, and Rosenfelder), July, 334
**Fracture ductility**
Effects of microcracks and artificial surface cracks on fracture ductility of a torsional prestrained specimen (Makabe, Kaneshiro, and Itokazu), May, 221
**Fracture mechanics**
Improved wide range expressions for displacements and inverse displacements for standard fracture toughness specimens (Kapp), Jan., 45
Methods of determining subcritical crack growth by static lifetime tests with natural and artificial cracks (Fett and Munz), Nov., 461
Prediction of fatigue life of asphalt concrete beams from fracture tests (Ramsamooj), May, 231
**Fracture specimens**
Improved wide range expressions for displacements and inverse displacements for standard fracture toughness specimens (Kapp), Jan., 45
**Fracture toughness**
Specimen size requirements for fracture toughness testing in the transition region (Anderson and Dodds), March, 123
Theoretical comparison of error in $K_{Ic}$ values determined by different testing methods of ceramics (Martins, Steen, and Rosa), May, 256
Warm precracking at 295 K and its effects on the 4-K toughness of austenitic steels (Tobler and Shimada), July, 312
**Fracture toughness tests**
Thick adherend, instrumented double-cantilever-beam specimen for measuring debonding of adhesive joints (Crosley and Ripling), Jan., 24
**Friction**
Influence of friction on the compliance and crack work rate of an end notched flexure specimen (Gradin, Gustafson, and Hojo), March, 149

G

**Gamma-rays**
Nondestructive density measurements of cylindrical specimens by gamma-ray attenuation (Tan and Fwa), March, 155
**Gas analysis**
Nonintrusive test for argon gas content in windows: feasibility study (Latta, Bogan, and Wagner), May, 214
**Go-no-go fatigue tests**
Reliability and life estimation from component fatigue failures below the go-no-go fatigue life limit (Parida), Nov., 450
**Gouging abrasion**
Design and analysis of jaw crusher gouging abrasion tests (Sare and Constantine), March, 115
**Gravel**
Laboratory testing of river gravel used in arrester beds (Al-Qadi and Rivera-Ortiz), July, 280

H

**Handling**
Effect of handling on the compression strength of corrugated fiberboard containers (Singh, Crofts, and Burgess), Sept., 374
**Hardness**
Analysis of the size effect in low-hardness testing of metals (Atkinson), Sept., 368
**Heat conduction**
Determination of thermal diffusivity of construction materials (Low, Tan, and Fwa), Nov., 440

**Homogeneity**
Computer-aided homogeneity testing of proposed metal and metal alloy reference materials (Hurwitz), Jan., 63
**Hysteretic energy**
Effect of thickness of elasto-plastic deformation and hysteretic energy dissipated at crack tip (Jendoubi, Ranganathan, and Merah), May, 201

I

**Image analysis**
Accuracy of a volume fraction measurement using areal image analysis (Shi and Winslow), May, 210
**Impact resistance**
Understanding impact testing of pallet nails and staples (Loferski and Stern), Sept., 379
**Indentation**
Analysis of the size effect in low-hardness testing of metals (Atkinson), Sept., 368
**Inflation tests**
Condom inflation testing: strain distribution during test (Gerofi and Shelley), May, 244
**Intense Pulsed Neutron Source (IPNS)**
*In situ* ultrasonic examination of the Intense Pulsed Neutron Source (IPNS) enriched uranium target assembly (Bohringer, Kupperman, Bailey, and Knox), Nov., 467
**Interactions**
Models and interactions (Mandel), Sept., 398
**Interlaboratory tests**
Models and interactions (Mandel), Sept., 398
**International Organization for Standardization (ISO)**
What constitutes a reference material and how is it certified? (Ridsdale and Meeres), Jan., 71

J

***J* integral**
Plastic $\eta$ and $\gamma$ factors for compact tension specimen in *J*-integral estimation (Hu and Albrecht), March, 169
***J-R* curves**
Normalization method for developing *J-R* curves with the *LMN* function (Landes, Zhou, Lee, and Herrera), July, 305
**Jaw crushers**
Design and analysis of jaw crusher gouging abrasion tests (Sare and Constantine), March, 115

L

**Laser diodes**
Pulse current automatic electro-optical characterization of the laser diode (Oyedokun), March, 172
**Laundering**
Assessment of the effects of treatment, time, and heat on the removal of erasable pen marks from cotton and cotton/polyester blend fabrics (Moore and Eddleman), Sept., 394
**Lead**
New method for burst testing of low strength materials (Goodwin and Nguyen-Duy), Jan., 41
**Lead alloys**
New method for burst testing of low strength materials (Goodwin and Nguyen-Duy), Jan., 41
**Linear models**
Models and interactions (Mandel), Sept., 398
***LMN* function**
Normalization method for developing *J-R* curves with the *LMN* function (Landes, Zhou, Lee, and Herrera), July, 305
**Loading**
Application of the European Yield Model to nailed joints in southern hardwoods (Pellicane), Sept., 385
Cryogenic creep testing (McDonald and Hartwig), March, 107
Energy stored in a specimen under fatigue limit loading conditions (Kaleta, Blotny, and Harig), July, 326
Fatigue predictions for components under biaxial reversed loading (Lee and Chiang), Sept., 359
Normalization method for developing *J-R* curves with the *LMN* function (Landes, Zhou, Lee, and Herrera), July, 305
Prediction of fatigue life of asphalt concrete beams from fracture tests (Ramsamooj), May, 231
**Load-slip**
Mechanical behavior of nailed joints with various side member materials (Pellicane), March 97

M

**Marking pens**
Assessment of the effects of treatment, time, and heat on the removal of erasable pen marks from cotton and cotton/polyester blend fabrics (Moore and Eddleman), Sept., 394
**Materials properties**
Structural ceramics database: data acquisition format for monolithic ceramics (Munro and Begley), May, 250
**Mathematical models**
Energy stored in a specimen under fatigue limit loading conditions (Kaleta, Blotny, and Harig), July, 326
**Mechanical behavior**
Mechanical behavior of nailed joints with various side member materials (Pellicane), March, 97
**Mechanical components**
Fatigue predictions for components under biaxial reversed loading (Lee and Chiang), Sept., 359
**Mechanical properties**
Creep-fatigue interaction in T11 boiler tube steel (Miller, Marder, Holt, and Voorhees), Nov., 485
**Mercury intrusion**
Predicting the durability of paving bricks (Winslow), Jan., 29
**Metal analysis**
Metals analysis in the plastics additives industry: quality assurance considerations (Nagourney and Madan), Jan., 77
**Metal connector plates**
Test apparatus for simulating interactive loads on metal plate wood connections (Wolfe, Hall, and Lyles), Nov., 421
**Metal reference material**
Computer-aided homogeneity testing of proposed metal and metal alloy reference materials (Hurwitz), Jan., 63
**Metals**
Cantilever-type bend test technique for formability analysis of strip/plate metals (Selcuk and Rawlings), Sept., 349
Introduction to symposium on the use of reference materials in the metals analysis laboratory (Bottone), Jan., 55
Standard Reference Materials: NBS-ASTM cooperation (Rasberry), Jan., 56
**MIBANT angle**
Static and impact flexural properties of common wire nails (Loferski and McLain), July, 297
**Microcracks**
Effects of microcracks and artificial surface cracks on fracture ductility of a torsional prestrained specimen (Makabe, Kaneshiro, and Itokazu), May, 221
**Microscopy**
Accuracy of a volume fraction measurement using areal image analysis (Shi and Winslow), May, 210
**Microwaves**
Comparison of methods for measuring moisture content of aggregate and asphalt-aggregate paving mixtures (Parker and Brown), March, 161
**Moisture content**
Comparison of methods for measuring moisture content of aggregate and asphalt-aggregate paving mixtures (Parker and Brown), March, 161

N

**Nailed joints**
Application of the European Yield Model to nailed joints in southern hardwoods (Pellicane), Sept., 385
Mechanical behavior of nailed joints with various side member materials (Pellicane), March, 97
**Nails**
Static and impact flexural properties of common wire nails (Loferski and McLain), July, 297
Understanding impact testing of pallet nails and staples (Loferski and Stern), Sept., 379
**National Institute of Standards and Technology**
Standard Reference Materials: NBS-ASTM cooperation (Rasberry), Jan., 56
**Neutrons**
*In situ* ultrasonic examination of the Intense Pulsed Neutron Source (IPNS) enriched uranium target assembly (Bohringer, Kupperman, Bailey, and Knox), Nov., 467
**Nondestructive tests**
Electrical resistance measurements on type 304 stainless steel with different degrees of sensitization (Kain, Chouthai, and Gadiyar), July, 321
Nondestructive density measurements of

cylindrical specimens by gamma-ray attenuation (Tan and Fwa), March, 155
**Nonproportional hardening**
Fatigue predictions for components under biaxial reversed loading (Lee and Chiang), Sept., 359
**Normalization**
Normalization method for developing *J-R* curves with the *LMN* function (Landes, Zhou, Lee, and Herrera), July, 305

O

**Oxidation**
Change in mass of copper coupons as a measure of severity of environments in accelerated aging tests for electrical contacts (Sproles), July, 292

P

**Pallets**
Understanding impact testing of pallet nails and staples (Loferski and Stern), Sept., 379
**Plastic $\eta$ and $\gamma$ factors**
Plastic $\eta$ and $\gamma$ factors for compact tension specimen in *J*-integral estimation (Hu and Albrecht), March, 169
**Plastic additives**
Metals analysis in the plastics additives industry: quality assurance considerations (Nagourney and Madan), Jan., 77
**Plastic pipes**
Analysis of large diameter high-density polyethylene plastic pipes as vertical shafts in landfills (Hossain and Lytton), Nov., 475
**Plastics**
Glossary (German/English, English/German) of specialized plastics testing terminology (Meraw), July, 338
**Polyethylene**
Analysis of large diameter high-density polyethylene plastic pipes as vertical shafts in landfills (Hossain and Lytton), Nov., 475
**Pore size distribution**
Predicting the durability of paving bricks (Winslow), Jan., 29
**Proof test**
Development of methodology for qualifying safety critical A286 threaded fasteners (Hsieh, Hendrickson, and Bamford), March, 135
**Pulse tests**
Pulse current automatic electro-optical characterization of the laser diode (Oyedokun), March, 172

Q

**Quality assurance**
Metals analysis in the plastics additives industry: quality assurance considerations (Nagourney and Madan), Jan., 77
**Quality control**
Condom inflation testing: strain distribution during test (Gerofi and Shelley), May, 244

R

**Radiant tubes**
Analysis of gas-fired ceramic radiant tubes during transient heating: Part I—thermal transient modeling (Segall, Hellmann, and Modest), Nov., 454
**Radiation attenuation**
Nondestructive density measurements of cylindrical specimens by gamma-ray attenuation (Tan and Fwa), March, 155
**Radius-to-thickness (*R/t*) ratio**
Cantilever-type bend test technique for formability analysis of strip/plate metals (Selcuk and Rawlings), Sept., 349
**Rating numbers**
Evaluation of rating numbers for atmospheric corrosion resistance of weathering steel (Albrecht and Lee), Nov., 429
**Reference Material (RM)**
Preparation and certification of uranium oxide ($U_3O_8$) spectrometric reference materials (Santoliquido), Jan., 83
What constitutes a reference material and how is it certified? (Ridsdale and Meeres), Jan., 71
**Reliability**
Reliability and life estimation from component fatigue failures below the go-no-go fatigue life limit (Parida), Nov., 450
**Repeatability**
Evaluation of variability in resilient modulus test results (ASTM D 4123) (Brown and Foo), Jan., 1
**Research**
Standard Reference Materials: NBS-ASTM cooperation (Rasberry), Jan., 56
**Resilient modulus**
Evaluation of variability in resilient modulus test results (ASTM D 4123), (Brown and Foo), Jan., 1
**Resonant response**
Vibration monitoring of small lightweight components using fiber optic sensors (Powers and Chuang), Nov., 493
**Rheopectic behavior**
New method for burst testing of low strength materials (Goodwin and Nguyen-Duy), Jan., 41

S

**Shear strain**
Novel specimen geometry for double shear creep experiments (Kim, Mohamed, and Earthman), March, 93
**Shear strength**
Shear strength of a ductile material from torsion of solid cylinders (Lyon), May, 240
**Shear stress state**
Novel specimen geometry for double shear creep experiments (Kim, Mohamed, and Earthman), March, 93
**Size effect**
Analysis of the size effect in low-hardness testing of metals (Atkinson), Sept., 368
**Specimen geometry**
Novel specimen geometry for double shear creep experiments (Kim, Mohamed, and Earthman), March, 93
**Specimens**
Plastic $\eta$ and $\gamma$ factors for compact tension specimen in *J*-integral estimation (Hu and Albrecht), March, 169
Specimen size requirements for fracture toughness testing in the transition region (Anderson and Dodds), March 123
**Standard Reference Material (SRM)**
Certification: what it means for inhomogeneity and reference materials (Kennedy), Jan., 60
Introduction to symposium on the use of reference materials in the metals analysis laboratory (Bottone), Jan., 55
Standard Reference Materials: NBS-ASTM cooperation (Rasberry), Jan., 56
**Standards**
Condom inflation testing: strain distribution during test (Gerofi and Shelley), May, 244
**Standards glossary**
Glossary (German/English, English/German) of specialized plastics testing terminology (Meraw), July, 338
**Staples**
Understanding impact testing of pallet nails and staples (Loferski and Stern), Sept., 379
**Steel**
Reliability and life estimation from component fatigue failures below the go-no-go fatigue life limit (Parida), Nov., 450
**Stored energy**
Energy stored in a specimen under fatigue limit loading conditions (Kaleta, Blotny, and Harig), July, 326
**Strain**
Effect of thickness of elasto-plastic deformation and hysteretic energy dissipated at crack tip (Jendoubi, Ranganathan, and Merah), May, 201
**Strength**
Mechanical behavior of nailed joints with various side member materials (Pellicane), March, 97
Prediction of the strength of ceramic tubular components: Part I—analysis (Jadaan, Shelleman, Conway, Mecholsky, and Tressler), May, 181
**Stress**
Evaluation of variability in resilient modulus test results (ASTM D 4123), (Brown and Foo), Jan., 1
**Structural Ceramics Database (SCD)**
Structural ceramics database: data acquisition format for monolithic ceramics (Munro and Begley), May, 250
**Structural components**
Thermal shock and thermal fatigue testing (Yuen and Walter), Sept., 403
**Subcritical crack growth**
Methods of determining subcritical crack growth by static lifetime tests with natural and artificial cracks (Fett and Munz), Nov., 461
**Symposium**
Standard Reference Materials: NBS-ASTM cooperation (Rasberry), Jan., 56

T

**Terminology**
Glossary (German/English, English/German) of specialized plastics testing terminology (Meraw), July, 338

**Test grips**
Test apparatus for simulating interactive loads on metal plate wood connections (Wolfe, Hall, and Lyles), Nov., 421
**Thermal diffusivity**
Determination of thermal diffusivity of construction materials (Low, Tan, and Fwa), Nov., 440
**Thermal fatigue**
Thermal shock and thermal fatigue testing (Yuen and Walter), Sept., 403
**Thermal insulation**
Nonintrusive test for argon gas content in windows: feasibility study (Latta, Bogan, and Wagner), May, 214
**Thermal profile**
Analysis of gas-fired ceramic radiant tubes during transient heating: Part I—thermal transient modeling (Segall, Hellmann, and Modest), Nov., 454
**Thermal shock**
Thermal shock and thermal fatigue testing (Yuen and Walter), Sept., 403
**Threaded fasteners**
Development of methodology for qualifying safety critical A286 threaded fasteners (Hsieh, Hendrickson, and Bamford), March, 135
**Torsion**
Shear strength of a ductile material from torsion of solid cylinders (Lyon), May, 240
**Torsional prestrain**
Effects of microcracks and artificial surface cracks on fracture ductility of a torsional prestrained specimen (Makabe, Kaneshiro, and Itokazu), May, 221
**Trace element analysis**
Preparation and certification of uranium oxide ($U_3O_8$) spectrometric reference materials (Santoliquido), Jan., 83
**Transient heating**
Analysis of gas-fired ceramic radiant tubes during transient heating: Part I—thermal transient modeling (Segall, Hellmann, and Modest), Nov., 454
**Triaxial tests**
Laboratory testing of river gravel used in arrester beds (Al-Qadi and Rivera-Ortiz), July, 280

U

**Ultrasonic monitoring**
*In situ* ultrasonic examination of the Intense Pulsed Neutron Source (IPNS) enriched uranium target assembly (Bohringer, Kupperman, Bailey, and Knox), Nov., 467
**Uranium**
*In situ* ultrasonic examination of the Intense Pulsed Neutron Source (IPNS) enriched uranium target assembly (Bohringer, Kupperman, Bailey, and Knox), Nov., 467
**Uranium oxide ($U_3O_8$)**
Preparation and certification of uranium oxide ($U_3O_8$) spectrometric reference materials (Santoliquido), Jan., 83

V

**Vertical shafts**
Analysis of large diameter high-density polyethylene plastic pipes as vertical shafts in landfills (Hossain and Lytton), Nov., 475
**Vibration monitoring**
Vibration monitoring of small lightweight components using fiber optic sensors (Powers and Chuang), Nov., 493
**Vickers hardness**
Analysis of the size effect in low-hardness testing of metals (Atkinson), Sept., 368
**Volume fraction**
Accuracy of a volume fraction measurement using areal image analysis (Shi and Winslow), May, 210

W

**Wear testing**
Design and analysis of jaw crusher gouging abrasion tests (Sare and Constantine), March, 115
**Weathering steel**
Evaluation of rating numbers for atmospheric corrosion resistance of weathering steel (Albrecht and Lee), Nov., 429
**Weibull analysis**
Prediction of the strength of ceramic tubular components: Part I—analysis (Jadaan, Shelleman, Conway, Mecholsky, and Tressler), May, 181
Prediction of the strength of ceramic tubular components: Part II—experimental verification (Shelleman, Jadaan, Conway, and Mecholsky), May 192
**Wide range expressions**
Improved wide range expressions for displacements and inverse displacements for standard fracture toughness specimens (Kapp), Jan., 45
**Windows**
Nonintrusive test for argon gas content in windows: feasibility study (Latta, Bogan, and Wagner), May, 214
**Wood**
Application of the European Yield Model to nailed joints in southern hardwoods (Pellicane), Sept., 385

Y

**Yield stress**
Static and impact flexural properties of common wire nails (Loferski and McLain), July, 297